

## MSDS simalube SL15

Blaser 00790-01

Dear simalube Customer,

**EN**

We hereby confirm that the automatic lubricators simalube and simalube multipoint with the designation SL15 are filled with Blaser 00790-01 lubricant. The Material Safety Data Sheet (MSDS) for this lubricant is provided on the following pages. Please visit [www.simatec.com](http://www.simatec.com) for further technical data regarding this lubricant and simatec automatic lubricators.

---

Werter simalube Kunde

**DE**

Wir bestätigen hiermit, dass die automatischen Schmierstoffspender simalube und simalube multipoint, mit der Bezeichnung SL15, mit dem Schmierstoff Blaser 00790-01 befüllt sind. Das Sicherheitsdatenblatt zu diesem Schmierstoff finden Sie auf den folgenden Seiten. Technische Daten zum Schmierstoff und den automatischen Schmierstoffspendern simalube finden Sie unter: [www.simatec.com](http://www.simatec.com)

---

Cher client simalube

**FR**

Nous certifions que les graisseurs automatiques simalube et simalube multipoint appelés SL15 sont remplis avec le lubrifiant Blaser 00790-01. La fiche de données de sécurité de ce lubrifiant peut être trouvée dans les pages suivantes. Concernant les données techniques du lubrifiant tout comme les graisseurs automatiques simalube, vous allez trouver ces détails sous le lien suivant : [www.simatec.com](http://www.simatec.com)

---

Estimado cliente de simalube

**ES**

Por la presente certificamos que los lubricadores automáticos simalube y simalube multipoint con la designación SL15, están rellenos con el lubricante Blaser 00790-01. La ficha de datos de seguridad de este lubricante Usted pueden encontrar en las siguientes páginas. Para especificaciones técnicas del lubricante y de los lubricadores automáticos simalube ver: [www.simatec.com](http://www.simatec.com)

---

Caro cliente simalube

**IT**

Con la presente confermiamo che i lubrificatori automatici simalube e simalube multipoint con la designazione SL15 sono riempiti con lubrificante Blaser 00790-01. La scheda dati di sicurezza per questo lubrificante é riportato sulle seguenti pagine. I dati tecnici del lubrificante e dei lubrificatori automatici sono disponibili sul sito: [www.simatec.com](http://www.simatec.com)

01.11.2016 / simatec ag, Wangen a. Aare, Switzerland

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** High-temperature chain oil
- **Article number:** 00790-01
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation:**  
For industrial use only  
Lubricant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:**  
BLASER SWISSLUBE AG  
Winterseistrasse 22  
CH-3415 Hasle-Rüegsau  
Switzerland  
Tel.: +41 (0)34 460 01 01  
Fax: +41 (0)34 460 01 00  
E-mail: blaser@blaser.com
- **Further information obtainable from:**  
Product Safety Department  
E-mail: reach@blaser.com
- **1.4 Emergency telephone number:**  
Abbreviated dialing: 145 (or: ++41 (0)44/ 251 51 51) Toxicological Info-Centre CH-Zurich

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture:**
- **Classification according to Regulation (EC) No 1272/2008**  
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

---

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements**  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P273 Avoid release to the environment.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**  
Contains bisphenol A. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of hydrocarbons and active substances

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC, Article 31 and 830/2015/EC

Printing date 13.01.2016

Version number 4

Revision: 13.01.2016

Trade name: High-temperature chain oil

(Contd. of page 1)

· **Declarable, or hazardous components:**  
**CAS-no.**

Reg.nr.: not applicable, confidential	Mixture of synthetic esters with additives Aquatic Chronic 3, H412	>80-<99%
CAS: 126019-82-7 ELINCS: 406-940-1 Reg.nr.: 01-0000015643-71-0000	Long chained alkyl- and aryl thiophosphoric acid ester Aquatic Chronic 2, H411	>1,0-2,9%
CAS: 110-25-8 EINECS: 203-749-3 Reg.nr.: 01-2119488991-20-0000	Oleoyl sarcosine Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H332; Skin Irrit. 2, H315	< 1,00%
CAS: 80-05-7 EINECS: 201-245-8 Reg.nr.: 01-2119457856-23-0000	bisphenol A Repr. 2, H361f; Eye Dam. 1, H318; Skin Sens. 1, H317; STOT SE 3, H335	< 0,50%

· **Additional information:**

Not mentioned CAS-, EINECS- or registration numbers are to be regarded as Proprietary/Confidential.  
For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.
- **Additional information** Cool endangered receptacles with water spray.

## SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

EU

(Contd. on page 3)

**Trade name: High-temperature chain oil**

(Contd. of page 2)

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Observe the general safety regulations when handling chemicals.

- **Information about fire - and explosion protection:** No special measures required.

### · 7.2 Conditions for safe storage, including any incompatibilities

#### · Storage:

· **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

· **Information about storage in one common storage facility:** Store away from oxidising agents.

#### · Further information about storage conditions:

Protect from heat and direct sunlight.

Optimal storage temperature between 0 °C and +40 °C.

Duration of storage: In original container, at least 3 years.

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

### · 8.1 Control parameters

· **Ingredients with limit values at the workplace:** TLV value (oil mist) CH: 5 mg/m<sup>3</sup>

- **Additional information:** The lists valid during the making were used as basis.

### · 8.2 Exposure controls

#### · Personal protective equipment:

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

#### · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case.

Gloves must be inspected prior to use. Replace when worn!

Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm.

#### · Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Eye protector with side protection (framed eyeglasses) EN 166.

· **Body protection:** Protective work clothing

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Liquid

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC, Article 31 and 830/2015/EC

Printing date 13.01.2016

Version number 4

Revision: 13.01.2016

Trade name: High-temperature chain oil

(Contd. of page 3)

<b>Colour:</b>	Amber coloured
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
· <b>pH-value:</b>	Not applicable.
· <b>Change in condition:</b>	
<b>Melting point/Melting range:</b>	Not applicable
<b>Boiling point/Boiling range:</b>	> 300 °C (DIN 51751 / ASTM D86)
<b>Drip point:</b>	Not applicable
<b>Pour point:</b>	<- 30 °C (ISO 3016 / ASTM D97)
· <b>Flash point:</b>	260 °C (ISO 2592 / ASTM D92)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	> 350 °C (DIN 51794 / ASTM E659)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits (@1013 mbar):</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Oxidising properties</b>	Not applicable.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	0,956 g/cm <sup>3</sup> (DIN 51757 / ASTM D1217)
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Kinematic at 40 °C:</b>	250 mm <sup>2</sup> /s (ISO 3104 / ASTM D445)
· <b>9.2 Other information:</b>	safety relevant data, which has to be considered as product specifications.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** None known if used as directed.
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Sulphur oxides (SO<sub>x</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 5)

**Trade name: High-temperature chain oil**

(Contd. of page 4)

· **LD/LC50 values relevant for classification:**

- > 2000 - < 5000 mg / kg (oral, rat)
- > 5,100 mg/m<sup>3</sup> 4h (inhalation, rat)

**110-25-8 Oleoyl sarcosine**

Inhalative	LD50	11 mg/L (ATE)
------------	------	---------------

**80-05-7 bisphenol A**

Oral	LD50	3250 mg/kg (rat)
Dermal	LD50	3000 mg/kg (rabbit)

· **Primary irritant effect:**

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**126019-82-7 Long chained alkyl- and aryl thiophosphoric acid ester**

EC50/24h	5,5 mg/l (Daphnia magna)
LC50/96h	> 25 mg/l (Brachydanio rerio)
EC50/72h	> 100 mg/L (Algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Harmful to aquatic organisms  
Do not allow product to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

13 02 06*	synthetic engine, gear and lubricating oils
16 03 05*	organic wastes containing hazardous substances

(Contd. on page 6)

**Trade name: High-temperature chain oil**

(Contd. of page 5)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

#### SECTION 14: Transport information

· <b>14.1 UN-Number</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.2 UN proper shipping name</b> · <b>ADR, ADN, IMDG, IATA</b>	Void
· <b>14.3 Transport hazard class(es)</b> · <b>ADR, ADN, IMDG, IATA</b> · <b>Class</b>	Void
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	Void
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>IATA</b>	IATA Dangerous Goods Regulation (DGR) 56th Edition 2015
· <b>UN "Model Regulation":</b>	Void

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008:**  
CLP/GHS label elements are issued under section 2.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**  
The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57**  
This preparation does not contain any SVHC ("Substances of Very High Concern")
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Regulations / approvals / listings:**

(Contd. on page 7)

**Trade name: High-temperature chain oil**

(Contd. of page 6)

Information on REACH registration numbers in section 3:

In case of lack of REACH registration numbers on mentioned hazardous substances at the end of 2010, then these numbers will be known and indicated only in section 3 within its tonnage band for registration, after the end of 2013, respectively by the end of 2018, or are exempt from the REACH regulation (e.g. polymers).

• **RoHS:**

The product is compliant with European Directives 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PDBE) and / or polybrominated biphenyls (PBB), lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium Cr<sup>6+</sup>-compounds.

• **Department issuing MSDS:** Product Stewardship

• **Contact:** Dr. Mosimann + Mr. Frei

• **Editor's notice:**

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

• **Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

• **\* Data compared to the previous version altered.**

The asterisk (\*) on the left side indicate the respective changes from the previous version.